

Cylinder Gas Price Semiconductors Industrial Gas Bcl3 Boron Trichloride

Basic Information

. Place of Origin: China . Brand Name: CMC COA · Certification: Model Number: Bcl3 • Minimum Order Quantity: 1kg • Price: US \$18 · Packaging Details: Cylinder • Delivery Time: 15 days

Payment Terms: L/C, T/T, Western UnionSupply Ability: 300,000tons/year



Product Specification

• Transport Package:

Product Name: Boron Trichloride
Cylinder Standard: GB/ISO/DOT
Boiling Point: 12.5°C
Melting Point: -107.3°C
Valve: Cga660

• Cylinder Pressure: 15MPa/20MPa

Appearance: Colorless Fuming Liquid Or Gas With A

Pungent Cylinder

10294-34-5

Specification: 40L/47L/50L
Trademark: CMC
Origin: China
HS Code: 2812191090
Supply Ability: 300, 000tons/Year



More Images

CAS No.:



Product Description

Cylinder Gas Price Semiconductors Industrial Gas Bcl3 Boron Trichloride

BCL3 refers to the chemical compound boron trichloride. It is a colorless, toxic gas with a pungent odor. Boron trichloride is formed by the reaction of boron oxide or boron with chlorine gas. It is commonly used as a catalyst in organic synthesis reactions, particularly in the production of pharmaceuticals and polymers.

Boron trichloride has several industrial applications. It is used in the production of semiconductors, optical fibers, and as a dopant in the manufacturing of silicon chips. It can also be employed as a reagent in certain chemical reactions, such as the conversion of alcohols to alkyl chlorides.

It's important to note that boron trichloride is highly reactive and can react violently with water, releasing hydrochloric acid fumes. It can also react with other compounds containing active hydrogen atoms. Therefore, handling boron trichloride requires caution and appropriate safety measures.

Basic Info.

| Model NO. | Bcl3 Gas | DOT Class | 2.3 & 8 |
|---------------------|-------------------|-------------------|---|
| Un No | 1741 | Cylinder Standard | GB/ISO/DOT |
| Cylinder Pressure | 15MPa/20MPa | Valve | Cga660 |
| Melting Point | -107.3 ºC | Appearance | Colorless Fuming Liquid or Gas with a Pungent |
| Boiling Point | 12.5 ºC | Density | 1.35 Kg/M ³ |
| Molecular Weight | 117.19 | Transport Package | 40L, 47L, 50L |
| Specification | 99.9%, 99.999% | Trademark | CMC |
| Origin | China | HS Code | 28121910 |
| Production Capacity | /300, 000tons/Yea | r | |





Specification:

Dot Class: 2.3 State: Liquid Purity: 99.9% UN NO:UN1741 CAS NO: 10294-34-5


Grade Standard: Industrial Grade

Chlorine ≤ 10 ppm Silicon Tetrachloride≤ 300 ppm

Cylinder SpecificationsCylinder Capacity Valve
47L CGA 660 Weight
50 kgs

Detailed Photos





Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe.

Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

NH3 CH3F SiH4 H2S NH3 WF6 F6+CI2 SiCI4 Kr

C2 HCI+Ne 4MS C3F8 C3F8 TEOS CH4 PH₃ SF6

TMB+H2 SiH2 CF4

C4F8

SiF4 C3H8 CI2 He +As

Ge+Se DCE BBr3 C3H6

POCI3 D+B **SO2** N2

SiHCI3 CH2F2 AsH3 C2H4 C2H2 HBr COS Ar+O2 HF

H2Se GeCl4 Xe+NO DEZn GeH4 C2H6 **B2H6 TMAI** DMZn





CO2

BCI3

D2



CO+NO

Shanghai Kemike Chemical Co.,Ltd