China

CMC

COA


Cylinder/Tank

Ne

99.999% Electron Grade Rare Cylinder Gas High Quality Ne Gas Neon

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Piece
- Price: US \$100/PC
- Packaging Details:
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 2000 Pcs/Month



Product Specification

• Product Name: Neon Gas Cylinder Pressure: 15MPa/20MPa • Appearance: Colorless, Odorless • Valve: Cga580 DOT/ISO • Cylinder Standard: • Model No.: Neon Gas 40L/47L/50L • Specification: CMC • Trademark: • Origin: China • HS Code: 28042900 744-01-9 CAS No.: • Formula: Ne • EINECS: 231-110-0 Constituent: Industrial Pure Air



More Images

• Grade Standard:





Industrial Grade



Product Description

Product Description

Neon gas (Ne) is a chemical element and a noble gas. It is a colorless, odorless, and tasteless gas that is best known for its bright reddish-orange glow when electrically excited. Here are some key points about neon gas:

Chemical Properties: Neon is a chemical element with the atomic number 10 and the symbol Ne. It belongs to the noble gas group on the periodic table, which also includes helium, argon, krypton, xenon, and radon. Neon is chemically inert and does not readily react with other substances. Natural Abundance: Neon is the fifth most abundant element in the universe, but it is relatively rare on Earth. It is extracted from the Earth's atmosphere, which contains a small percentage of neon gas (about 0.0018% by volume).

Properties: Neon possesses several important properties:

Color: When an electric current passes through neon gas, it emits a distinctive reddish-orange glow. This property makes neon widely used in lighting applications, such as neon signs and advertising displays.

Density: Neon is lighter than air and has a density less than that of the atmosphere. It tends to rise in air and disperse.

Low Boiling Point: Neon has a very low boiling point of -246.1 degrees Celsius (-411 degrees Fahrenheit) and remains in the gaseous state at room temperature.

Uses: Neon gas has various applications:

Lighting: Neon is most commonly used in lighting applications, particularly in neon signs and advertising displays. The bright and colorful glow of neon lights is due to the excitation of neon gas by the electric current passing through it.

Cryogenics: Due to its extremely low boiling point, neon is used in cryogenic applications for cooling purposes. It can be employed in cryogenic refrigeration systems and as a cryogenic coolant in various scientific and medical applications.

Laser Technology: Neon gas is used as a laser medium in certain types of gas lasers, such as helium-neon lasers. These lasers emit visible red light and are used in applications like laser pointers and barcode scanners.

Research and Welding: Neon is also used in scientific research, where its unique properties are utilized in various experiments. Additionally, it is sometimes used in welding applications to protect the weld area from atmospheric contamination.

Neon gas is generally considered safe and non-toxic. However, as with any compressed gas, proper handling, storage, and usage practices should be followed to ensure safety.

Overview

Basic Info.			
Molecular Weight	20.1797	Density	0.9002G/Lm ³
Melting Point	248.6ºC	Boiling Point	245.9ºC
Appearance	Colorless,Odorless	Un No.	Un 1065
DOT Class	2.2	Valve	QF-2/CGA580
Cylinder Standard	GB/ISO/DOT	Cylinder Pressure	15Mpa/20Mpa
Transport Package	40L/47L/50L	Specification	100.0%
Trademark	CMC	Origin	China
HS Code	28042900	Production Capacity	5000m ³ /Year



Neon is a coloriess, odorless, non-flammable noble gas. Of all the noble gases, the discharge of neon is the strongest at equal voltages and currents.

Specification:

Specification	Company Standard	
Ne	≥ 99.999%	
He H2 02+Ar	≤ 3.0 ppm	
H2.	≤ 1.0 ppm	
02+Ar	≤ 1.0 ppm	
N2	≤ 1.0 ppm	
CH4	< 0.1 ppm	
NZ CH4 CO	≤ 1.0 ppm	
002	≤ 1.0 ppm	
H20	< 2.0 ppm	

Detailed Photos



Company Profile

ShangHai CMC chemical Co.,Itd. is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

4MSC3F8C3F8TEOSCH4PH3SF6C2HCI+NeCF4C4F8SiH2TMB+H2SiF4C3H8CI2He +AsBBr3C3H6DCEGe+SePOCI3N2SO2D+BBCI3D2CO2CO+NOSiHCI3CH2F2HFAsH3C2H4C2H2HBrCOSAr+O2TMAIDMZnDEZnGeH4C2H6B2H6H2SeGeCI4Xe+NO	SiCl4 NH3 NH3	CH3F SiH4 Kr H2S WF6	F6+Cl2
SiF4 C3H8 Cl2 BBr3 C3H6 DCE POCl3 N2 SO2 BCl3 D2 CO2 SiHCl3 CH2F2 HF AsH3 C2H4 C2H2 Mark Cos Mark Mark Mark	4MS C3F8 C3F8	TEOS CH4 PH3 SF6 C2	HCI+Ne
BBr3 C3H6 DCE Ge+Se POCI3 N2 SO2 D+B BCI3 D2 CO2 CO+NO SiHCI3 CH2F2 HF AsH3 C2H4 C2H2 HBr CO5 Ar+O2	CF4 C4F8 SiH2		TMB+H2
BBr3 C3H6 DCE Ge+Se POCI3 N2 SO2 D+B BCI3 D2 CO2 CO+NO SiHCI3 CH2F2 HF AsH3 C2H4 C2H2 HBr CO5 Ar+O2	SiF4 C3H8 CI2		He +As
BCI3 D2 CO2 SiHCI3 CH2F2 HF AsH3 C2H4 C2H2 HBr COS Ar+O2	BBr3 C3H6 DCE		Ge+Se
SiHCl3 CH2F2 HF AsH3 C2H4 C2H2 HBr COS Ar+O2	POCI3 N2 SO2		D+B
	BCI3 D2 CO2		CO+NO
TMAI DMZn DEZn GeH4 C2H6 B2H6 H2Se GeCl4 Xe+NO	SiHCI3 CH2F2 HF	AsH3 C2H4 C2H2 HBr COS	Ar+O2
	TMAI DMZn DEZn	GeH4 C2H6 B2H6 H2Se GeCl4	Xe+NO

Certifications



Workshop Display:









Shipping Methods



+86 18762990415 williamchen@cmc-chemical.com gascylindertank.com