

Factory Supply HID Lighting Nuclear Absorber Cylinder Gas Xenon

Basic Information

. Place of Origin: China Brand Name: CMC COA · Certification: Model Number: Xe 1kg • Minimum Order Quantity: • Price: US \$15/kg Cylinder/Tank · Packaging Details: • Delivery Time: 15 days Payment Terms: L/C, T/T . Supply Ability: 2000 Pcs/Month



Product Specification

Product Name: Xenon Gas
Purity: 99.999%
Cylinder Pressure: 15MPa/20MPa
Pressure: 12.5MPa
Transport Package: 8L/10L/50L

• Specification: 8L/10L/50L 99.999%

Origin: China
HS Code: 2804290000
Supply Ability: 2000piece/Month
CAS No.: 7440-63-3
Formula: Xe

Constituent: Industrial Pure Air

Grade Standard: Electronic Grade, Industrial Grade
 Chemical Property: Combustion-Supporting Gas

231-172-7



Xenon Gas

More Images

. EINECS:



Product Description

Product Description

Xenon gas, often referred to as Xe gas, is a noble gas belonging to Group 18 of the periodic table. It is chemically inert and exhibits various unique properties. Here are some key points about xenon gas:

Chemical Symbol: Xe Atomic Number: 54

Atomic Weight: 131.29 g/mol

Physical Properties: Xenon is a colorless, odorless, and tasteless gas at room temperature and atmospheric pressure. It is denser than air and has a boiling point of -108.12°C (-162.42°F) and a melting point of -111.79°C (-169.22°F).

Abundance and Occurrence: Xenon is a rare gas, making up a very small fraction of the Earth's atmosphere (about 0.0000087%). It is obtained from the Earth's atmosphere through a process called fractional distillation of liquefied air.

Applications: Xenon gas has a range of applications in various fields. It is commonly used in lighting, particularly in high-intensity discharge (HID) lamps, such as automotive headlights and stadium lighting. Xenon's bright white light and high color rendering make it suitable for these applications. Xenon is also used in specialized lamps for photography, cinema projection, and strobe lights.

Medical Applications: Xenon gas has medical applications, particularly in anesthesia. It is used as an inhalation anesthetic in certain surgical procedures. Xenon is considered advantageous due to its low blood solubility, minimal metabolism, and lack of significant organ toxicity. Nuclear Applications: Xenon-133, one of the isotopes of xenon, is used in nuclear medicine for lung ventilation studies. Xenon-133 is also produced as a byproduct in nuclear reactors and has applications in nuclear energy and research.

Plasma Displays: Xenon gas is used in plasma display panels (PDPs) or plasma TVs. When electrically charged, xenon produces ultraviolet light, which excites phosphors to emit visible light, creating the images on the screen.

Scientific Research: Xenon gas has applications in scientific research, including studies of atomic and molecular properties, as well as in specialized experimental setups. It is used in various fields such as physics, chemistry, and materials science.

Basic Info.

| Model NO. | Xe | Un Number | 2036 |
|---------------------|-----------------|-------------------|------------------------|
| Cylinder Pressure | 15MPa/20MPa | Cylinder Volumn | 10L/40L/50L |
| Boiling Point | -107.1 ºC | Cylinder Standard | IDOT |
| HS | 28042900 | Density | 5.89 Kg/M ³ |
| DOT Class | 2.2 | Purity | 0.99999 |
| Form | Gas | Melting Point | -112 ºC |
| Molecular Weight | 131.3 | Appearance | Colorless Gas |
| Valve | Cga 580 | Product Name | Xenon Gas |
| Transport Package | Cylinder | Specification | 10L, 40L, 50L |
| Trademark | СМС | HS Code | 2804290000 |
| Production Capacity | 2000m3 Per Year | | |



| 产品名 Product | | 氙气 Xenon | 执行标准 Executive standard | 1. | |
|-----------------|-------------------------------|-------------------------|----------------------------|----------------|--|
| 产品批 Batch nu | 757,500 | 230320 | 产品规格 Specification | ≥99.999% | |
| 产品包 Packag | 2000 | 50L STL CGA580 BRASS | 检测日期 Test date | 2023.03.20 | |
| | | 检测结 | 果Results | | |
| 序号 Number | 项 目 Items | 检测指标 Specification | | 检测结果 Result | |
| 1 | Xe | >99.9995% | >99,9995 | >99.9995% | |
| 2 | H2O | <1.0 ppm | 0.19 ppi | 0.19 ppm | |
| 3 | O ₂ +Ar | <0.5 ppm | 0.09 ppi | 0.09 ppm | |
| 4 | N ₂ | <1.5 ppm | 0.16 ppm | | |
| 5 | H2 | <0.5 ppm | 0.09 ppi | 0.09 ppm | |
| 6 | СО | <0.1 ppm | 0.02 ppi | 0.02 ppm | |
| 7 | Kr | <0.1 ppm | <0.01 ppm | | |
| 8 | CO ₂ | <0.1 ppm | 0.02 ppi | 0.02 ppm | |
| 9 | N ₂ O | <0.1 ppm | <0.01 pp | <0.01 ppm | |
| 10 | C ₂ F ₆ | <0.1 ppm | <0.01 pp | <0.01 ppm | |
| 11 | CH4 | <0.1 ppm | <0.01 pp | <0.01 ppm | |
| 结论: Judgment | | | 合格 Qualified | | |

Detailed Photos

Product detail









Company Profile

ShangHai CMC chemical Co., itd. is staffed by trained personnel, combine many years experience in Gas industry. We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe.

Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.



Certifications



Workshop Display:








Laboratory



Equipment





Gas filling



Equipment



Shipping Methods





Shanghai Kemike Chemical Co.,Ltd

+86 18762990415

williamchen@cmc-chemical.com

gascylindertank.com