



## China 99.999% High Purity Electronic Grade Nitrous Oxide N<sub>2</sub>O Gas

### Our Product Introduction

for more products please visit us on [gascylindertank.com](http://gascylindertank.com)

#### Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: N<sub>2</sub>O
- Minimum Order Quantity: 1kg
- Price: US \$8/kg
- Packaging Details: Cylinder/Tank
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 20000 Tons/Year



#### Product Specification

- Product Name: Nitrous Oxide
- Cylinder Pressure: 15MPa/20MPa
- Boiling Point: -88 °C
- Melting Point: -91 °C
- Model No.: Nitrous Oxide Gas
- Cylinder Standard: DOT/ISO/GB
- Appearance: Colorless
- Transport Package: 40L/47L/50L
- Specification: 40L/47L/50L
- Trademark: CMC
- Origin: China
- HS Code: 2811290090
- Supply Ability: 20,000ton/Year
- CAS No.: 10024-97-2
- Formula: N<sub>2</sub>O



#### More Images



Product Description

Product Description

Nitrous oxide (N2O), also known as laughing gas, is a chemical compound composed of two nitrogen atoms bonded to one oxygen atom. Here are some key points about nitrous oxide:

Properties: Nitrous oxide is a colorless and odorless gas at room temperature. It is non-flammable and has a slightly sweet taste. Nitrous oxide is denser than air and can support combustion.

Production: Nitrous oxide can be produced through the thermal decomposition of ammonium nitrate or by the reaction of nitric oxide with oxygen. It is commonly produced on an industrial scale for various applications.

Medical and Dental Use: Nitrous oxide has analgesic (pain-relieving) and anesthetic properties, and it is used in medical and dental settings as a sedative. It is commonly administered through inhalation to induce relaxation and reduce pain during certain procedures.

Recreational Use: Nitrous oxide is also used recreationally for its euphoric and dissociative effects. It is often inhaled from small canisters or balloons, leading to a temporary state of altered consciousness and mild hallucinations. However, recreational use of nitrous oxide can be dangerous and has associated risks.

Food Industry: Nitrous oxide is used as a propellant in aerosol whipped cream dispensers. When released from the canister, it rapidly expands and creates a foamy texture in whipped cream and other culinary applications.

Engine Performance: Nitrous oxide can be used as a performance-enhancing additive in certain combustion engines. When injected into the engine's intake manifold, it provides additional oxygen, resulting in increased power output.

Environmental Impact: Nitrous oxide is a potent greenhouse gas that contributes to climate change. It has a significantly higher global warming potential compared to carbon dioxide. Nitrous oxide emissions primarily come from agricultural and industrial activities, as well as the combustion of fossil fuels.

It's important to note that nitrous oxide should be used responsibly and under proper supervision, especially in medical and dental settings. Recreational use of nitrous oxide can be hazardous and is illegal in some jurisdictions.

Basic Info.

DOT Class	2.2&5.1	Un No	1070
Cylinde	DOT/ISO/GB	Cylinder Pressure	15MPa/20MPa
Valve	Cga540	Melting Point	-91 °C
Appearance	Colorless	Boiling Point	-88 °C
Density	1.8 Kg/m³	Molecular Weight	44.013
Transport Package	40L, 47L, 50L	Specification	99.9%, 99.999%
Trademark	CMC	Origin	China
HS Code	2811290090	Production Capacity	20, 000ton/Year

Specification:

CAS No.: 10024-97-2

EINECS No.: 233-032-0

UN No.: UN1070

Purity: 99.9%

Dot Class: 2.1&5.1

Appearance: Colorless

Grade Standard: Medical Grade, Industrial Grade

N2O - Nitrous Oxide	99.9% min	Units
CO	≤20	ppm
O2+Ar	≤200	ppm
N2	≤600	ppm
H2O	≤30	ppm

Detailed Photos





Packaging & Shipping

Product	Nitrous Oxide N2O		
Package Size	40Ltr Cylinder	50Ltr Cylinder	T75 ISO Tank
Filling Net Weight/Cyl	24Kgs	30Kgs	19 Tons
QTY Loaded in 20'Container	250 Cyls	250 Cyls	1 Unit
Total Net Weight	6.0 Tons	7.5 Tons	19 Tons
Cylinder Tare Weight	50Kgs	55Kgs	8170kgs
Valve	CGA540		

Company

Profile

## About us



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc.. Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H<sub>2</sub>, O<sub>2</sub>, N<sub>2</sub>, Ar, CO<sub>2</sub>, propane, acetylene, helium, laser mixed gas, SiH<sub>4</sub>, SiH<sub>2</sub>Cl<sub>2</sub>, SiHCl<sub>3</sub>, SiCl<sub>4</sub>, NH<sub>3</sub>, CF<sub>4</sub>, NF<sub>3</sub>, SF<sub>6</sub>, HCL, N<sub>2</sub>O, doping mixed gas (TMB, PH<sub>3</sub>, B<sub>2</sub>H<sub>6</sub>) and other electronic gases.

SiCl <sub>4</sub>	NH <sub>3</sub>	NH <sub>3</sub>	CH <sub>3</sub> F	SiH <sub>4</sub>	Kr	H <sub>2</sub> S	WF <sub>6</sub>	F <sub>6</sub> +Cl <sub>2</sub>
4MS	C <sub>3</sub> F <sub>8</sub>	C <sub>3</sub> F <sub>8</sub>	TEOS	CH <sub>4</sub>	PH <sub>3</sub>	SF <sub>6</sub>	C <sub>2</sub>	HCl+Ne
CF <sub>4</sub>	C <sub>4</sub> F <sub>8</sub>	SiH <sub>2</sub>						TMB+H <sub>2</sub>
SiF <sub>4</sub>	C <sub>3</sub> H <sub>8</sub>	Cl <sub>2</sub>						He +As
BBr <sub>3</sub>	C <sub>3</sub> H <sub>6</sub>	DCE						Ge+Se
POCl <sub>3</sub>	N <sub>2</sub>	SO <sub>2</sub>						D+B
BCl <sub>3</sub>	D <sub>2</sub>	CO <sub>2</sub>						CO+NO
SiHCl <sub>3</sub>	CH <sub>2</sub> F <sub>2</sub>	HF						Ar+O <sub>2</sub>
TMAI	DMZn	DEZn						Xe+NO
			AsH <sub>3</sub>	C <sub>2</sub> H <sub>4</sub>	C <sub>2</sub> H <sub>2</sub>	HBr	COS	
			GeH <sub>4</sub>	C <sub>2</sub> H <sub>6</sub>	B <sub>2</sub> H <sub>6</sub>	H <sub>2</sub> Se	GeCl <sub>4</sub>	



 **Shanghai Kemike Chemical Co.,Ltd**

 +86 18762990415

 [williamchen@cmc-chemical.com](mailto:williamchen@cmc-chemical.com)

 [gascylindertank.com](http://gascylindertank.com)