



Semiconductors Uses Cylinder Gas Ar Gas Argon China Factory Supply

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: Ar
- Minimum Order Quantity: 1kg
- Price: US \$15/kg
- Packaging Details: Cylinder/Tank
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 5000kg/month



Product Specification

- Product Name: Argon Gas
- Cylinder Standard: DOT/ISO/GB
- Boiling Point: -185.7 C
- Melting Point: -189.2 C
- Density: 1.784 Kg/M³
- Transport Package: Sea Transportation
- Specification: 10L 40L 47L 50L 200L
- Trademark: CMC
- Origin: Suzhou, China
- HS Code: 2804290000
- Supply Ability: 2000piece/Month
- CAS No.: 7440-37-1
- Formula: Ar
- EINECS: 231-147-0
- Constituent: Industrial Pure Air



More Images



Product Description

Product Description

Argon gas is a chemical element with the symbol Ar and atomic number 18. It is a noble gas, which means it is colorless, odorless, and tasteless.

Argon is the third most abundant gas in the Earth's atmosphere, constituting about 0.934% of the air. It is obtained as a byproduct of the production of liquid oxygen and liquid nitrogen from air.

Argon has various applications due to its inert nature and high thermal conductivity. It is commonly used in lighting, such as in incandescent and fluorescent bulbs, to protect the filament or electrode from oxidation. Argon is also used in various industrial processes, such as welding, where it acts as a shielding gas to prevent the oxidation of the heated metal.

Additionally, argon has applications in scientific research, such as in gas chromatography and as a carrier gas in atomic absorption spectroscopy. It is also used in certain medical procedures, such as laser eye surgery, where it helps maintain a stable environment during the operation.

If you have any specific questions about argon gas or its applications, feel free to ask!

Basic Info.

Model NO.	Ar	Content	Content: 28tons
Industrial Grade	Industrial Grade	Tank Car	26m³
Purity	100.00%	Transport Package	Sea Transportation
Specification	Tank Car: 26m³; Content: : 28tons		Trademark CMC
Origin	suzhou	Production Capacity 5000piece/Month	

Product Parameters

Specification	Tank Car:26m³	Content: 28tons
---------------	---------------	-----------------

Application	<ol style="list-style-type: none">1. used as a protective gas for the production of high purity silicon and germanium crystals in the semiconductor industry;2.used as inert gas for system cleaning, shielding and pressurization;3. Be applied in chemical vapor deposition, sputtering, annealing and other processes.4. used as chromatographic carrier gas, and can also be used as a dilution gas of gas mixture in large-scale integrated circuits.
-------------	---

Detailed Photos



Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc., Our mission is to partner with our

global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H₂, O₂, N₂, Ar, CO₂, propane, acetylene, helium, laser mixed gas, SiH₄, SiH₂Cl₂, SiHCl₃, SiCl₄, NH₃, CF₄, NF₃, SF₆, HCL, N₂O, doping mixed gas (TMB, PH₃, B₂H₆) and other electronic gases.

SiCl ₄	NH ₃	NH ₃	CH ₃ F	SiH ₄	Kr	H ₂ S	WF ₆	F ₆ +Cl ₂
4MS	C ₃ F ₈	C ₃ F ₈	TEOS	CH ₄	PH ₃	SF ₆	C ₂	HCl+Ne
CF ₄	C ₄ F ₈	SiH ₂						TMB+H ₂
SiF ₄	C ₃ H ₈	Cl ₂						He +As
BBr ₃	C ₃ H ₆	DCE						Ge+Se
POCl ₃	N ₂	SO ₂						D+B
BCl ₃	D ₂	CO ₂						CO+NO
SiHCl ₃	CH ₂ F ₂	HF						Ar+O ₂
TMAI	DMZn	DEZn						Xe+NO
AsH ₃	C ₂ H ₄	C ₂ H ₂	HBr	COS	Ar+O ₂			
GeH ₄	C ₂ H ₆	B ₂ H ₆	H ₂ Se	GeCl ₄	Xe+NO			



 Shanghai Kemike Chemical Co.,Ltd

+86 18762990415

williamchen@cmc-chemical.com

gascylindertank.com