



## Semiconductors And Optical Coatings Application Cylinder Gas Gef4 Germanium Tetrafluoride

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: GeF4
- Minimum Order Quantity: 1kg
- Price: US \$50/kg
- Packaging Details: Cylinder/Tank
- Delivery Time: 30 days
- Payment Terms: T/T
- Supply Ability: 200 Tons/Year



### Product Specification

- Model NO.: GeF4
- Product Name: Germanium Tetrafluoride
- Transport: Cylinder
- Appearance: Colorless
- Purity: 99.99%
- Valve: 316L Ss With 0.250" Mvcr
- Transport Package: Cylinder
- Specification: 3.6L
- Trademark: CMC
- Origin: China
- HS Code: 2804210000
- Supply Ability: 200t/Year
- CAS No.: 7783-58-6
- Formula: Gef4
- EINECS: 232-011-3



### More Images



for more products please visit us on [gascylindertank.com](http://gascylindertank.com)

## Product Description

### Product Description

Germanium tetrafluoride, also known as GeF<sub>4</sub>, is a chemical compound consisting of one germanium atom bonded to four fluorine atoms. It is a colorless gas at room temperature and pressure. Germanium tetrafluoride is highly reactive and is primarily used in the production of optical fibers and as a precursor for the deposition of germanium-containing thin films.

Here are some key properties of germanium tetrafluoride:

Chemical formula: GeF<sub>4</sub>

Molar mass: 130.53 g/mol

Density: 3.54 g/cm<sup>3</sup> (at 25°C)

Melting point: -36.5°C

Boiling point: 4.65°C

Germanium tetrafluoride reacts readily with water and moisture in the air to form hydrofluoric acid and germanium dioxide. It is also corrosive to metals and can react with certain organic compounds. Therefore, it requires careful handling and storage.

In the production of optical fibers, germanium tetrafluoride is used as a dopant to modify the refractive index of the silica glass, allowing for efficient transmission of light signals. It is also employed in the chemical vapor deposition (CVD) process to deposit germanium-containing thin films onto substrates for various applications, including semiconductors and optical coatings.

It's important to note that germanium tetrafluoride is a toxic substance, and exposure to it should be avoided. Proper safety precautions and handling procedures should be followed when working with this compound.

### Basic Info.

Model NO.	GeF <sub>4</sub>	Constituent	Germanium Tetrafluoride 99.99%
Grade Standard	Electronic Grade	Chemical Property	Colorless Gas
Trademark	CMC	Transport Package	2.2L,3.6LL
Specification	99.99	Origin	China

Impurity	Unit	Specification	Analytical Value	Detection Limit
Germanium Tetrafluoride	%	≥99.9	>99.99	
Argon	ppmv	≤25	1.42	0.05
Carbon Dioxide	ppmv	≤25	1.01	0.10
Hydrogen Fluoride	ppmv	≤25	19.81	0.10
Nitrogen	ppmv	≤25	3.41	0.05
Oxygen	ppmv	≤25	1.42	0.05
Sulfur Dioxide	ppmv	≤25	0.14	0.05

### Detailed Photos





Company  
Profile

## **About us**



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc.. Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H<sub>2</sub>, O<sub>2</sub>, N<sub>2</sub>, Ar, CO<sub>2</sub>, propane, acetylene, helium, laser mixed gas, SiH<sub>4</sub>, SiH<sub>2</sub>Cl<sub>2</sub>, SiHCl<sub>3</sub>,

SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

SiCl4	NH3	NH3	CH3F	SiH4	Kr	H2S	WF6	F6+Cl2
4MS	C3F8	C3F8	TEOS	CH4	PH3	SF6	C2	HCl+Ne
CF4	C4F8	SiH2						TMB+H2
SiF4	C3H8	Cl2						He +As
BBr3	C3H6	DCE						Ge+Se
POCl3	N2	SO2						D+B
BCl3	D2	CO2						CO+NO
SiHCl3	CH2F2	HF	AsH3	C2H4	C2H2	HBr	COS	Ar+O2
TMAI	DMZn	DEZn	GeH4	C2H6	B2H6	H2Se	GeCl4	Xe+NO



### Our Advantages

1. Fast delivery;
2. Stable raw material source;
3. On-line analysis system for quality control in every step;
4. High requirement and meticulous process for handling cylinder before filling;

Our carbon monoxide have been exported to many countries like India, Pakistan, Malaysia, Indonesia, Australia, Singapore, Maldives and Ecuador.

Since the establishment of our company, it has received universal praise by virtue of good reputation, high quality and perfect after service.

### FAQ

**1. Q: Are you a factory or a trading company?**

A: We are a manufacture and trade integration company. Expert R&D department and sophisticated supply chain is our key of success.

**2. Q: Are bulk orders and multiple product orders available?**

A: Yes, we have a strong production supply system to make sure all of your requirements satisfied. One station product solution is our aim of service.

**3. Q: What if I never imported this product before, how do I do it?**

A: Don't worry. We have import and export experience with over 50 countries over the world, our fulfillment department will guide you every step of the process.

**4. Q: What is the MOQ?**

Different products have different min order. It's depends on the kind the gas and the cylinder specifications. Please feel free to contact with me directly for your requirement.

**5. Q: Why choice us Kemike Gas ?**

A: Stable Supply, Professional Solution, Reasonable Price, and Safety Business with our Taiyu.

**6. Q: How does your factory do the quality control?**

A: We have standard quality control procedure.  
a> In production, we have quality analysis system to make sure each step is qualified.  
b> Before filling, we do the pre-treatment for the cylinders to clean well.  
c> After filling, we will do 100% inspection analyze before delivery.

**7. Q:Is it possible to ship by air?**

A:Gases are classified into class 2.1, class 2.2 and class 2.3 which are inflammable gas, non-flammable gas and poisonous gas. According to regulation, inflammable gas and poisonous gas cannot be shipped by air, and only non-flammable gas can be transported by air. If the amount purchased is large, sea transportation is better.

**8. Q:Can I customize the package?**

A:Yes of course! The most regular package is cylinder. Its size, color, valve, design and other requirements can all be met.

**9. Q: What is the package & storage details?**

A:Seamless steel cylinder with different valves, or as to your requirement.  
Stored in shady, cool, dry, ventilated warehouse, and keep away from sunlight and ramming.

**10. More question.....**

Feel free to contact us, you will get immediately reply.

 **Shanghai Kemike Chemical Co.,Ltd**

 +86 18762990415

 [williamchen@cmc-chemical.com](mailto:williamchen@cmc-chemical.com)

 [gascylindertank.com](http://gascylindertank.com)