

C5f8 Cylinder Gas Good Price Octafluorocyclopentene

Basic Information

. Place of Origin: China . Brand Name: CMC COA · Certification: C5F8 Model Number: • Minimum Order Quantity: 1kg • Price: US \$15/kg Cylinder/Tank · Packaging Details: • Delivery Time: 30 days Payment Terms: T/T

• Supply Ability: 200 Tons/Year

Octafluorocyclopentene



Product Specification

Model NO.: C5F8

Product Name: Octafluorocyclopentene

 Cylinder Standard: DOT/ISO/GB Valve: Cga330 • Appearance: Colorless Gas • Purity: 99.999% • Boiling Point: 12.5ºC -107.3ºC . Melting Point: • Transport Package: Cylinder • Specification: 44L 100L 270L

• Trademark: CMC

Origin: Suzhou, China
 HS Code: 2903410000
 Supply Ability: 250t/M
 CAS No.: 559-40-0



More Images









Product Description

Product Description

Octafluorocyclopentene is a chemical compound with the molecular formula C5F8. It is a member of the cyclopentene family, where all five carbon atoms are bonded to a fluorine atom. Each carbon atom in octafluorocyclopentene is also double-bonded to another carbon atom.

Octafluorocyclopentene is a highly fluorinated compound, and the presence of fluorine atoms imparts unique properties to the molecule. It is colorless and has a low boiling point. The compound is considered to be a stable and non-reactive compound under normal conditions. Due to its unique structure and properties, octafluorocyclopentene has found applications in various fields. It is commonly used as a building block in the synthesis of other fluorinated compounds. The compound's stability and non-reactivity make it useful in applications where chemical inertness is desired, such as in certain electronic devices or as a heat transfer fluid.

Additionally, octafluorocyclopentene has been investigated for its potential as a fluorine source in fluorine-18 radiolabeling reactions for the production of positron emission tomography (PET) imaging agents. Fluorine-18 is a commonly used radioactive isotope in PET imaging, and octafluorocyclopentene may serve as a precursor for introducing fluorine-18 into various organic molecules.

Specification:

Molecular Weight	36.46	Density	1.477Kg/m ³
Melting Point	-114.2ºC	Boiling Point	-85.1ºC
Appearance	Colorless, Pungent	Un No.	1050
DOT Class	2.3&8	Valve	CGA660
Cylinder Standard	GB/ISO/DOT	Cylinder Pressure	15Mpa/20Mpa
Transport Package	44L	Specification	99.9%
Trademark	CMC	Origin	China
HS Code	28061000	Production Capacity	2000tons/Year


Detailed Photos

Octafluorocyclopentene





Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe.

Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

SiCl4 NH3	NH3	CH3F SiH4 Kr H2S WF6	F6+CI2
4MS C3F8	C3F8	TEOS CH4 PH3 SF6 C2	HCI+Ne
CF4 C4F8	SiH2		MB+H2
SiF4 C3H8	CI2		He +As
BBr3 C3H6	DCE		Ge+Se
POCI3 N2	SO2	TARREST TO BE AN ALL DESCRIPTION OF THE PERSON OF THE PERS	D+B
BCI3 D2	CO2		CO+NO
SiHCI3 CH2F2	HF	AsH3 C2H4 C2H2 HBr COS	Ar+O2
TMAI DMZn	DEZn	GeH4 C2H6 B2H6 H2Se GeCl4	Xe+NO







Our Advantages

- 1. Fast delivery;

2. Stable raw material source;
3. On-line analysis system for quality control in every step;
4. High requirement and meticulous process for handling cylinder before filling;
Our carbon monoxide have been exported to many countries like India, Pakistan, Malaysia, Indonesia, Australia, Singapore, Maldives and Ecuador.

Since the establishment of our company, it has received universal praise by virtue of good reputation, high quality and perfect after service.

1. Q: Are you a factory or a trading company?

A: We are a manufacture and trade integration company. Expert R&D department and sophisticated supply chain is our key of success.

2. Q: Are bulk orders and multiple product orders available?

A: Yes, we have a strong production supply system to make sure all of your requirements satisfied. One station product solution is our aim of service.

3. Q: What if I never imported this product before, how do I do it?

A: Don't worry. We have import and export experience with over 50 countries over the world, our fulfillment department will guide you every step of the process.

4.Q: What is the MOQ?

Different products have different min order. It's depends on the kind the gas and the cylinder specifications. Please feel free to contact with me directly for your requirement.

5. Q: Why choice us Kemike Gas?

A: Stable Supply, Professional Solution, Reasonable Price, and Safety Business with our Taiyu.

6. Q: How does your factory do the quality control? A: We have standard quality control procedure.

- a> In production, we have quality analysis system to make sure each step is qualified.
- b> Before filling, we do the pre-treatment for the cylinders to clean well.
- c> After filling, we will do 100% inspection analyze before delivery.

7. Q:ls it possible to ship by air?

A:Gases are classified into class 2.1, class 2.2 and class 2.3 which are inflammable gas, non-flammable gas and poisonous gas. According to regulation, inflammable gas and poisonous gas cannot be shipped by air, and only non-flammable gas can be transported by air. If the amount purchased is large, sea transportation is better.

8. Q:Can I customize the package?

A:Yes of course! The most regular package is cylinder. Its size, color, valve, design and other requirements can all be met.

9. Q: What is the package & storage details?

A:Seamless steel cylinder with different valves, or as to your requirement.

Stored in shady, cool, dry, ventilated warehouse, and keep away from sunlight and ramming.

10. More question.....

Feel free to contact us, you will get immediately reply.





+86 18762990415



williamchen@cmc-chemical.com



@ gascylindertank.com